

STERILE CONTAINER SYSTEMS




BASKETS

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET WITH LID




code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets




code	outside dimension
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets




code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets




code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets






Mesh grid




WIRE BASKETS




code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm



code	outside dimension
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm



code	outside dimension
K2-1500	405 x 250 h=30 mm
K2-1501	405 x 250 h=50 mm
K2-1502	405 x 250 h=70 mm
K2-1503	405 x 250 h=100 mm



code	outside dimension
K2-490	255 x 250 h=30 mm
K2-491	255 x 250 h=50 mm
K2-492	255 x 250 h=70 mm
K2-493	255 x 250 h=100 mm


STANDARD
MODEL
1BIO-BARRIER
MODEL
33Polymers PPSU
Lids
65WINDOW
MODEL
85B₃^{Barrier}
MODEL
103for STERRAD
135Dental, Mini,
Special
145BASKETS
163Autolock Mechanism
Emulating Indicator
183ACCESSORIES
191

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET WITH LID




code	outside dimension
K3-2010	320 x 220 h=55 mm
K3-2011	320 x 220 h=75 mm
K3-2012	320 x 220 h=105 mm
K3-2013	ONLY LID, for baskets




code	outside dimension
K3-1704	533 x 337 h=55 mm
K3-1705	533 x 337 h=75 mm
K3-1706	533 x 337 h=105 mm
K3-1707	ONLY LID, for baskets




code	outside dimension
K3-1804	665 x 250 h=55 mm
K3-1805	665 x 250 h=75 mm
K3-1806	665 x 250 h=105 mm
K3-1807	ONLY LID, for baskets





Mesh grid



WIRE BASKETS




code	outside dimension
K3-2000	320 x 220 h=50 mm
K3-2001	320 x 220 h=70 mm
K3-2002	320 x 220 h=100 mm



code	outside dimension
K2-1701	533 x 337 h=50 mm
K2-1702	533 x 337 h=70 mm
K2-1703	533 x 337 h=100 mm



code	outside dimension
K2-1801	665 x 250 h=50 mm
K2-1802	665 x 250 h=70 mm
K2-1803	665 x 250 h=100 mm

STANDARD
MODEL
1BIO-BARRIER
MODEL
33Polymers PPSU
Lids
65WINDOW
MODEL
85

 MODEL
103
for STERRAD
135Dental, Mini,
Special
145BASKETS
163Autoclave Mechanism
Emulating Indicator
183ACCESSORIES
191

WIRE BASKET WITH PERFORATED METAL PLATE


WIRE BASKET WITH LID




code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets




code	outside dimension
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets




code	outside dimension
K3-1031 P	405 x 250 h=55 mm
K3-1032 P	405 x 250 h=75 mm
K3-1033 P	405 x 250 h=105 mm
K3-1034 P	ONLY LID, for baskets




code	outside dimension
K3-1041 P	255 x 250 h=55 mm
K3-1042 P	255 x 250 h=75 mm
K3-1043 P	255 x 250 h=105 mm
K3-1045 P	ONLY LID, for baskets



Side Plate
304 ss sheet



Base
304 ss wire mesh



WIRE BASKETS




code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm



code	outside dimension
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm



code	outside dimension
K2-1501 P	405 x 250 h=50 mm
K2-1502 P	405 x 250 h=70 mm
K2-1503 P	405 x 250 h=100 mm



code	outside dimension
K2-491 P	255 x 250 h=50 mm
K2-492 P	255 x 250 h=70 mm
K2-493 P	255 x 250 h=100 mm



STANDARD
MODEL
1

BIO-BARRIER
MODEL
33

Polymer's PPSU
Lids
65

WINDOW
MODEL
85

MODEL
B₃
103

for STERRAD
135


Dental, Mini,
Special
145


BASKETS
163

Autolock Mechanism
Emulating Indicator
183

ACCESSORIES
191

BASKET MADE FROM STAINLESS STEEL SHEET (WITH STAND)

C Sizes	Specifications 	h=1 (mm)	h=2 (mm)	Box and Lid	Box	Lid
						
665 x 253 x h	 ► For Extra Long Model	40 mm	43 mm	K3-715	K3-711	K3-710
		60 mm	63 mm	K3-716	K3-712	
		80 mm	83 mm	K3-717	K3-713	
		110 mm	113 mm	K3-718	K3-714	
533 x 340 x h	 ► For Extra Large Model	40 mm	43 mm	K3-701	K3-705	K3-709
		60 mm	63 mm	K3-702	K3-706	
		80 mm	83 mm	K3-703	K3-707	
		110 mm	113 mm	K3-704	K3-708	
540 x 253 x h	 ► For 1/1 Model	40 mm	43 mm	K3-720	K3-740	K3-760
		60 mm	63 mm	K3-721	K3-741	
		80 mm	83 mm	K3-722	K3-742	
		110 mm	113 mm	K3-723	K3-743	
485 x 253 x h	 ► For 1/1 Model	40 mm	43 mm	K3-724	K3-744	K3-761
		60 mm	63 mm	K3-725	K3-745	
		80 mm	83 mm	K3-726	K3-746	
		110 mm	113 mm	K3-727	K3-747	



Sizes	Specifications	h=1 (mm)	h=2 (mm)	Box and Lid	Box	Lid
						
405 x 253 x h ► For 3/4 Model 		40 mm	43 mm	K3-728	K3-748	K3-762
		60 mm	63 mm	K3-729	K3-749	
		80 mm	83 mm	K3-730	K3-750	
		110 mm	113 mm	K3-731	K3-751	
244 x 253 x h ► For 1/2 Model 		40 mm	43 mm	K3-732	K3-752	K3-763
		60 mm	63 mm	K3-733	K3-753	
		80 mm	83 mm	K3-734	K3-754	
		110 mm	113 mm	K3-735	K3-755	
320 x 220 x h ► For Large Dental Model 		60 mm	63 mm	K3-774	K3-771	K3-770
		80 mm	83 mm	K3-775	K3-772	
		110 mm	113 mm	K3-776	K3-773	
275 x 175 x h ► For Dental Model 		50 mm	53 mm	K3-736	K3-756	K3-764
		105 mm	108 mm	K3-737	K3-757	
265 x 125 x h ► For Small Model 		60 mm	63 mm	K3-738	K3-758	K3-765

STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



STANDARD MODEL	1
BIO-BARRIER MODEL	33
Polymers PPSU Lids	65
WINDOW MODEL	85
B ₃ STERIL MODEL	103
for STERRAD	135
Dental, Mini, Special	145
BASKETS	163
Autolock Mechanism Emulating Indicator	183
ACCESSORIES	191

DENTAL BASKETS & TRAYS



code	outside dimension
K3-780K	274 x 180 x 34 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



code	outside dimension
K3-780	274 x 180 x 32 mm

Without silicone fixation systems



code	outside dimension
K3-781K	274 x 180 x 44 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



code	outside dimension
K3-781	274 x 180 x 42 mm
K3-782	274 x 180 x 62 mm

Without silicone fixation systems



code	outside dimension
K3-783K	274 x 88 x 46 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



code	outside dimension
K3-784K	240 x 76 x 30 mm

Basket with blue silicone mat



code	outside dimension
K3-785K	188 x 86 x 36 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



code	outside dimension
K3-785	188 x 86 x 32 mm

Basket with blue silicone mat



code	outside dimension
K3-787	138 x 124 x 48 mm

Without silicone fixation systems



code	outside dimension
K3-788	146 x 46 x 28 mm

Without silicone fixation systems



code	outside dimension
K3-789	86 x 46 x 28 mm

Without silicone fixation systems
Bottom 2 mm, lid 4 mm perforation



code	outside dimension
K3-786K	188 x 130 x 36 mm

Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm



code	outside dimension
K3-786	188 x 130 x 32 mm

Without silicone fixation systems



code	outside dimension
K3-790K	186 x 72 x 24 mm

Tray with silicone fixation system.
Holds 5 instruments.



code	outside dimension
K3-791K	186 x 99 x 24 mm

Tray with silicone fixation system.
Holds 7 instruments.



code	outside dimension
K3-792K	186 x 137 x 24 mm

Tray with silicone fixation system.
Holds 10 instruments.



code	outside dimension
K3-793K	286 x 192 x 34 mm

Tray with silicone fixation system.
Holds 20 instruments.

STANDARD
MODEL
1

BIO-BARRIER
MODEL
33

Polymer's PPSU
Lids
65

WINDOW
MODEL
85

B₃ Sterile
MODEL
103

for STERRAD
135

Dental, Mini,
Special
145



BASKETS
163

Autoclave Mechanism
Emulating Indicator
183


ACCESSORIES
191

WIRE BASKETS

Mesh grid




code	outside dimension
K2-993	265 x 125 x h=50 mm



code	outside dimension
K3-1073	265 x 120 x h=50 mm

WIRE BASKETS


Mesh grid




code	outside dimension
K3-611	270 x 175 x h=45 mm



code	outside dimension
K3-1070	270 x 170 x h=45 mm



code	outside dimension
K2-995	170 x 140 x h=45 mm




code	outside dimension
K3-1079	170 x 140 x h=45 mm

SMALL FINE MESH BASKETS WITH LID



code	outside dimension
K3-1100	30 x 30 x 30 mm
K3-1101	40 x 40 x 20 mm
K3-1102	40 x 40 x 40 mm
K3-1103	60 x 60 x 20 mm
K3-1104	60 x 60 x 40 mm
K3-1105	60 x 60 x 60 mm
K3-1106	80 x 80 x 20 mm
K3-1107	80 x 40 x 40 mm
K3-1108	80 x 80 x 40 mm
K3-1109	80 x 80 x 60 mm
K3-1110	80 x 80 x 80 mm
K3-1111	100 x 100 x 10 mm
K3-1112	120 x 120 x 30 mm
K3-1113	120 x 120 x 60 mm
K3-1114	120 x 120 x 80 mm
K3-1115	240 x 240 x 30 mm
K3-1116	240 x 240 x 60 mm
K3-1117	240 x 240 x 80 mm
K3-1118	240 x 240 x 100 mm

Mesh gridSTANDARD
MODEL

1

BIO-BARRIER
MODEL

33

Polymers PPSU
Lids

65

WINDOW
MODEL

85

 $B_{3\text{Steril}}$
MODEL

103

for STERRAD

135

Dental, Mini,
Special

145

BASKETS

163

Autolock Mechanism
Emulating Indicator

183

ACCESSORIES

191

LAUNDRY BASKETS



code	outside dimension
K3-1080	600 x 400 x 150 mm
K3-1081	600 x 400 x 300 mm



code	outside dimension
K3-1085	600 x 400 x 150 mm
K3-1086	600 x 400 x 300 mm

WIRE NET BASKET



code	outside dimension
K3-1200	250 x 170 x 70 mm
K3-1201	340 x 250 x 70 mm
K3-1202	450 x 340 x 70 mm

LID FOR WIRE NET BASKET



code	outside dimension
K3-1203	250 x 170 mm
K3-1204	340 x 250 mm
K3-1205	450 x 340 mm

STE BASKETS



Standard

code	outside dimension
K3-1206	575 x 280 x 135 mm
K3-1207	575 x 280 x 265 mm



Front access

code	outside dimension
K3-1208	575 x 280 x 265 mm

SPRI BASKETS



Double Frame with Folding Handle

code	outside dimension
K3-1210	585 x 395 x 100 mm
K3-1211	585 x 395 x 195 mm



With Single Frame

code	outside dimension
K3-1230	600 x 300 x 40 mm
K3-1231	600 x 300 x 50 mm
K3-1232	600 x 300 x 100 mm
K3-1233	600 x 300 x 130 mm
K3-1234	600 x 300 x 150 mm
K3-1235	600 x 300 x 180 mm
K3-1236	600 x 300 x 200 mm
K3-1237	600 x 400 x 100 mm
K3-1238	600 x 400 x 130 mm
K3-1239	600 x 400 x 150 mm
K3-1240	600 x 400 x 180 mm
K3-1241	600 x 400 x 200 mm

DRAPE




code	sizes	model
K2-1600	130 x 60 cm	for 1/1 Model
K2-1601	140 x 100 cm	
K2-1602	185 x 45 cm	
K2-1603	180 x 60 cm	
K2-1615	140 x 100 cm	for 3/4 Model
K2-1630	90 x 60 cm	for 1/2 Model
K2-1631	90 x 80 cm	
K2-1632	130 x 45 cm	
K2-1633	130 x 60 cm	for Flat Model
K2-1640	90 x 60 cm	
K2-1641	90 x 80 cm	
K2-1650	60 x 40 cm	for Mini Model
K2-1660	60 x 40 cm	for Dental Model
K2-1661	65 x 65 cm	
K2-1662	85 x 85 cm	

STANDARD
MODEL
1BIO-BARRIER
MODEL
33Polymers PPSU
Lids
65WINDOW
MODEL
85B₃
Striker
MODEL
103for STERRAD
135Dental, Mini,
Special
145BASKETS
163Autolock Mechanism
Emulating Indicator
183ACCESSORIES
191

ENDOSCOPE BASKETS

304 ss wire mesh



code	outside dimension
K3-1050	670 x 80 x 52 mm
K3-1051	460 x 80 x 52 mm
K3-1052	290 x 80 x 52 mm



code	outside dimension
K3-1062	640 x 150 x 77 mm



ALUMINIUM BASKET, WITH LID



code	outside dimension
K3-1119	245 x 130 x 55 mm



code	outside dimension
K3-1120	245 x 130 x 70 mm



code	outside dimension
K3-1121	245 x 130 x 105 mm

STANDARD
MODEL
1BIO-BARRIER
MODEL
33Polymers PPSU
Lids
65WINDOW
MODEL
85 B^3 _{ster}
MODEL
103for STERRAD
135Dental, Mini,
Special
145BASKETS
163Autolock Mechanism
Emulating Indicator
183ACCESSORIES
191

Washer Tube for K-WIRES

OZGEN Systems

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.



code	outside dimension
K4-1051	460 x 100 x 64 mm

K-Wires stainless steel basket with lid.



code	outside dimension
K4-1052	265 x 72 x 64 mm

K-Wires stainless steel basket with lid.

WASHER TUBE FOR K-WIRES


The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.

The Aygün washer tubes systems have a special design for getting maximum efficiency.


The dividing part inside the tube provides protection of 4 different diameter wires without intermixing.

With the help of inner tube placed in the middle of the divider, the high pressure water coming of the washer machine flows from inside to outside.

By this way, the wires inside the tube are washed by inside-out and outside-in flow and the disinfection process is completed efficiently.




- ▶ The system has 2 different lengths as option.
- ▶ Every tube has 4 different tanks for 4 different diameter wires.
- ▶ The system has been designed suitable for 12 different diameter from 0,6 mm to 3 mm.




code	length	suitable wire diameters
KA-100	150 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KB-100	150 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KC-100	150 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm
KLA-100	300 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KLB-100	300 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KLC-100	300 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm

STANDARD
MODEL
1BIO-BARRIER
MODEL
33Polymers PPSU
Lids
65WINDOW
MODEL
85B₃
Model
103for STERRAD
135Dental, Mini,
Special
145BASKETS
163Autolock Mechanism
Emulating Indicator
183ACCESSORIES
191



Our wire mesh and perforated sheet baskets can be manufactured in any size.



Please contact for detailed information.